


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	314	virtual adj database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:32
L2	6	virtual adj database with driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:36
L3	524	(database data adj source data adj structure) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:37
L4	1419	(database data adj source data adj structure) adj3 driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:36
L5	77	(virtual aggregat\$4 multi multiple group plurality set) with (database data adj source data adj structure) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:38
L7	4	("5903890").URPN.	USPAT	OR	ON	2005/06/03 12:48
L10	22	("4961139" "5058000" "5210824" "5263159" "5388259" "5428782" "5446883" "5493671" "5495606" "5509136" "5513348" "5522066" "5608904" "5628003" "5680618" "5687363" "5701466" "5708828" "5724569" "5734915" "5794246" "5802511").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 12:59
L15	0	("6625617").URPN.	USPAT	OR	ON	2005/06/03 13:16
L16	128	("4274139" "4432057" "4558413" "4604686" "4688195" "4714992" "4714995" "4745559" "4746559" "4774655" "4815030" "4961139" "4974149" "5008814" "5008853" "5019963" "5058000" "5133075" "5155847" "5187787" "5210824" "5220657" "5226161" "5257369" "5263159" "5278978" "5283894" "5287504" "5303379" "5359724" "5359730" "5388259" "5404488" "5416917" "5426747" "5428782" "5440744" "5446880" "5446883" "5448726" "5450581" "5452447" "5459827" "5463555" "5473772" "5475836" "5485370" "5491820" "5493671" "5495606" "5495610" "5497491" "5499343" "5509136" "5513348" "5515508" "5519769" "5519875" "5522066" "5528490" "5548726" "5555201" "5555403" "5555427" "5557793" "5559707" "5560005" "5560012" "5564051" "5566302" "5577244" "5581755" "5581761" "5581764" "5586311" "5586326" "5596720" "5596746" "5600834" "5608874" "5608904" "5613142" "5615112" "5619710" "5623656" "5623661" "5627996" "5628003" "5630092" "5630116" "5630125" "5634010" "5640564" "5644764" "5649192" "5652887" "5659742" "5668997" "5671404" "5673322" "5680618" "5682532" "5684984" "5684991" "5687363" "5689708" "5701456" "5701466" "5706434" "5708828" "5710918" "5721911" "5724569" "5734915" "5752021" "5761677" "5761678" "5794246" "5802511" "5852825" "5862325" "5870725" "5881378" "5948040" "5987302").PN. OR ("5999908" "6023694" "6038558").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:16
L17	7	("6496833").URPN.	USPAT	OR	ON	2005/06/03 13:18
L18	17	("5487141" "5499371" "5504885" "5644764" "5819282" "5937409" "5953526" "6006224" "6047284" "6076092" "6081808" "6199195" "6212672" "6223184" "6260078" "6263328" "6282547").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:23

L19	2368	odbc	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:23
L20	317	odbc with driver same (database data adj structure data adj source)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:23
L21	42	odbc with driver same (database data adj structure data adj source) with (multiple multi plurality group set aggregat\$4 virtual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:37
L22	54	jdbc with driver same (database data adj structure data adj source) with (multiple multi plurality group set aggregat\$4 virtual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:37
L23	38	22 not 21	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:38
L24	15	("4249241" "4809168" "5857197" "5913028" "5944781" "6035303" "6125400" "6128621" "6266666").PN. OR ("6356946").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:49
L25	2	virtual adj (jdbc odbc)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:53
L26	10	aggregat\$4 with database with driver	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:50
L28	2	virtual near3 database adj driver	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 13:54
L29	16	virtual near3 database near3 driver	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 14:00
L30	19	(universal global) near2 (database data adj source data adj structure data adj access) near3 driver	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 14:02
L33	1	(heterogeneous) near2 (database data adj source data adj structure data adj access) with driver	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 14:15
L35	7	("5634053" "5710918" "5721904" "5838965" "5943671" "6092063" "6236997").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 14:04
L37	11	("6236997").URPN.	USPAT	OR	ON	2005/06/03 14:06
L38	2	("6556995").URPN.	USPAT	OR	ON	2005/06/03 14:11
L39	19	("4714992" "5349642" "5455945" "5572709" "5577241" "5689898" "5706427" "5710918" "5721908" "5818936" "5873083" "5913025" "5987454" "6023698" "6085223" "6092196" "6115744" "6237023" "6275941").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 14:12
L40	528	(database data adj source data adj structure data adj access) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:16
L41	27	(database data adj source data adj structure data adj access) adj driver same (plurality group multi multiple aggregat\$4) adj3 (database data adj source source data adj structure)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:17
L42	31	(database data adj source data adj structure data adj access) adj driver same (plurality group multi multiple aggregat\$4 heterogen\$4) adj3 (database data adj source source data adj structure)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:17
L43	15	("6023694").URPN.	USPAT	OR	ON	2005/06/03 14:31

S26	3	merg\$4 near3 driver same (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:18
S27	375	single near2 access\$3 same (plurality multiple set multi group) with (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:19
S28	606	single near2 (access\$3 query\$) same (plurality multiple set multi group) with (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:20
S29	4	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (api interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:26
S30	2	"20010004737"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:29
S31	4	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (api interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:12
S32	45	("5109508" "5140689" "5146590" "5280612" "5335343" "5379419" "5428771" "5428774" "5432930" "5440732" "5452445" "5455946" "5495609" "5550965" "5553279" "5561797" "5581756" "5603024" "5603025" "5604899" "5630114" "5644763" "5649183" "5666528" "5675779" "5680607" "5680610" "5696960" "5713014" "5729733" "5737736" "5745896" "5749079" "5758145" "5761494" "5764949" "5764973" "5768577" "5781910" "5918225" "5924074" "5970490" "5987465" "6088694" "6161103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/02 13:46
S33	1	(*6502088*).URPN	USPAT	OR	ON	2005/06/02 13:59
S34	46	(data adj joiner datajoiner)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:00
S35	4	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:14
S36	42	(plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:50
S37	42	(plurality multiple set multi group virtual aggregat\$3 heterogeneous) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:17

S38	61	("5475836").URPN.	USPAT	OR	ON	2005/06/02 14:20
S39	4	("5903890").URPN.	USPAT	OR	ON	2005/06/02 14:42
S40	143	(plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (merg\$4 interface) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:50
S41	145	(plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (merg\$4 interface aggregat\$4 composit\$4) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:51
S42	97	S41 and ((@ad < "19991214") or (@prad < "19991214") or (@rlad < "19991214"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:56
S43	1	("5826261").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/02 14:56
S44	3	"9733239"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 15:02
S45	45	("5826261").URPN.	USPAT	OR	ON	2005/06/02 15:58
S46	8	("6233584").URPN.	USPAT	OR	ON	2005/06/02 16:09
S47	21	("4769772" "5634053" "5659732" "5664182" "5732270" "5761493" "5761499" "5822580" "5826261" "5842018" "5858396" "5864840" "5884078" "5890172" "5918214" "5931917" "5974441" "5987247" "5987454" "5995945" "6106569").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/02 16:12

**Web**

Results 1 - 15 of 15 from citeseer.ist.psu.edu for "single query" data source. (0.19 seconds)

Citations: Special Issue on Materialized Views and Data ...

... views are stored **data** collections that are derived from **source data**. ...
 from the point of view of a **single query**, they represent precomputed methods, ...
[citeseer.ist.psu.edu/context/64586/0](#) - 40k - [Cached](#) - [Similar pages](#)

Citations: Combining the evidence of multiple query ...

... sets of documents using a **single query** and document representation, ...
 commonly called **data fusion** [4] These multiple evidence techniques (**data fusion**) ...
[citeseer.ist.psu.edu/context/118010/0](#) - 35k - [Cached](#) - [Similar pages](#)

Citations: Leveraging mediator cost models with heterogeneous data ...

... produce as output, a **single query** plan for the set of queries involved. ...
 each **source** as collection of domains, defining some abstract **data** types. ...
[citeseer.ist.psu.edu/context/203943/187693](#) - 40k - [Cached](#) - [Similar pages](#)

Citations: Profusion: Intelligent fusion from multiple - Gauch ...

... MetaSEEK, and ProFusion already perform some intelligent **source** selection.
 ... by simultaneously submitting a **single query** to multiple search engines. ...
[citeseer.ist.psu.edu/context/254578/0](#) - 35k - [Cached](#) - [Similar pages](#)

Citations: Automatic Structuring and Retrieval of Large Text Files ...

... The main difference between **data** and information retrieval resides in the ...
 by the Smart information retrieval system in response to a **single query**. ...
[citeseer.ist.psu.edu/context/10439/0](#) - 36k - [Cached](#) - [Similar pages](#)

Auditing Boolean Attributes - Kleinberg, Papadimitriou, Raghavan ...

... based techniques have been studied which include adding noise to **source**...
 a **single query**) overlap control [17] in query sets, auditing all queries ...
[citeseer.ist.psu.edu/kleinberg00auditing.html](#) - 21k - [Cached](#) - [Similar pages](#)

Citations: ZOO: A Desktop Experiment Management Environment ...

... For example, a **single query** can refer to **data** stored in an XML file, a text
 formatted file, ... and indexing information to link the **data** to its **source**. ...
[citeseer.ist.psu.edu/context/179670/5183](#) - 30k - [Cached](#) - [Similar pages](#)

Exploiting Schema Knowledge for the Integration of Heterogeneous ...

... allowing a user to pose a **single query** and to receive a single unified answer.
 ... 417 Querying Heterogeneous Information Sources Using **Source Desc**. ...
[citeseer.ist.psu.edu/bergamaschi98exploiting.html](#) - 26k - [Cached](#) - [Similar pages](#)

Citations: Automatic hypertext construction - Allan (ResearchIndex)

... These views provide users with summaries of the **data** at different levels of
 ... documents were retrieved in response to a **single query** (or document) so ...
[citeseer.ist.psu.edu/context/234069/0](#) - 39k - [Cached](#) - [Similar pages](#)

Citations: The MetaCrawler Architecture for Resource Aggregation ...

... 4] 5] These facilities provide access to **data** in the information space, ...
 Each information adapter translates the query into the **source** specific query ...
[citeseer.ist.psu.edu/context/83359/3605](#) - 31k - [Cached](#) - [Similar pages](#)

Scalable Access within the Context of Digital Libraries - Cheng ...

... 214 Texture features for browsing and retrieval of image data (context) ...

6 Single query optimization for tertiary memory (context) - Sarawagi, ...

citeseer.ist.psu.edu/cheng97scalable.html - 35k - [Cached](#) - [Similar pages](#)

Citations: and Summarization of Machine-Readable Texts - Salton ...

... discussed in [RS95] Structure has been identified as being a source of

... by the Smart information retrieval system in response to a single query. ...

citeseer.ist.psu.edu/context/74695/0 - 34k - [Cached](#) - [Similar pages](#)

Randomized Algorithms [CiteSeer: NEC Research Institute: Steve ...

... Randomized Algorithms for Optimizing Large Join br data mining ... 57.1 Randomized

Single-Query Motion Planning In Expansive Spaces - Hsu (2000) ...

citeseer.ist.psu.edu/SoftwareEngineering/RandomizedAlgorithms/expected.html - 95k - [Cached](#) - [Similar pages](#)

Citations: Control-Flow Analysis of Higher-Order Languages or ...

... The final component of compilers that we will study is data flow analysis.

... However, their results do not pinpoint the source of increased abstract ...

citeseer.ist.psu.edu/context/29913/0 - 36k - [Cached](#) - [Similar pages](#)

Citations: HUGIN: A shell for building Bayesian belief universes ...

... In other words, for a given piece of data, we cannot have any confidence in the

... by considering this task as if it was a single query (ie it is not

citeseer.ist.psu.edu/context/41691/0 - 35k - [Cached](#) - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google